Author index*

A

ABILDSKOV, J. A. (*See* Moe et al.), 200, 338
ABRAHAM, SIDNEY. (*See* Gorman et al.), 39
ADLER, LAWRENCE N. (*See* Donoso et al.), 150
AFONSO, SKODA. (*See* Rowe et al.), 457
ALKJAERSIG, NORMA K. (*See* Sherry et al.), 425 (Annot.)
ARCILLA, RENE A. (*See* D'Cruz and Arcilla), 539
AREVALO, FEDERICO, and SAKAMOTO, TSUGUYA. On the duration of the isovolumetric relaxation period (IVRP) in dog and man, 651
AVERILL, KEITH H. (*See* Vogel et al.), 158, 610

B

BADAWI, HUSSEIN. (*See* Foda et al.), 295
BAUERSFELD, S. RICHARD, ZUBERBUHLER, JAMES R., and FORD, WILLIAM B. Right pulmonary artery–left atrial communication, 244
BAYLEY, ROBERT H. A quantitative evaluation of functional stenosis of the semilunar valve, 508
BECK, W., SCHRIRE, V., and VOGELPOEL, L. The value of phonocardiography in the assessment of the surgical closure of ventricular septal defect, 742
BERKOFF, H. (*See* Rogel et al.), 514
BERRY, F. G. (*See* Dower et al.), 524
BESWICK, F. W., and JORDAN, R. C. A simple chest electrode for orthogonal vectorcardiography, 232
——, and ——. Quantitative comparison of six nominally orthogonal vectorcardiographic systems, 657
BIDWAI, P. S. (*See* Harrison et al.), 189
BING, RICHARD J. (*See* Ribeilima et al.), 672
BLACKBURN, C. R. B., SPENCER, A. T., and HEATH, DONALD. Clinical pathologic conference, 258
BLACKBURN, HENRY, and KATIGBAK, RAYMUNDO. What electrocardiographic leads to take after exercise? 184
——, MITCHELL, PAUL, and IMBIMBO, BRUNO. The exercise ECG test. At what intervals to record after exercise? 186
BLACKMAN, NORMAN S., and KUSKIN, LAWRENCE. Inverted T waves in the precordial electrocardiogram of normal adolescents, 304
BLOUNT, S., GILBERT, JR. (*See* Vogel et al.), 158, 610
BRADLEY, EDWARD C. Acute benign pericarditis, 121
BRAUNSTEIN, HERBERT. Dissecting aneurysm of the carotid artery and aorta after carotid angiography, 545
BREST, ALBERT N. (*See* Onesti et al.), 32
BRITO-BABAPULLE, L. A. P. (*See* Jayasinghe et al.), 388
BRUCE, ROBERT A., JONES, JOHN W., and STRAIT, GAIL B. Anaerobic metabolic responses to acute maximal exercise in male athletes, 643
BRUCE, THOMAS A. (*See* Ribeilima et al.), 672
BURCH, GEORGE E., and DEPASQUALE, NICHOLAS P. Relationship of dentistry to cardiology, 99
——, and ——. The advantages of research on man, 387
——, and ——. Viral endocarditis, 721
——. (*See* Phillips and Burch), 265
——, WALSH, JOHN J., and DEMASI, CLEMENT J. Pericarditis due to infectious mononucleosis, 421 (Annot.)
BURCH, P. R. J. Cardiovascular diseases: new etiological considerations, 139 (Annot.)
BURCHELL, HOWARD B. Atrioventricular nodal (reciprocating) rhythm, 391
BURGER, H. C., VAN BRUMMELEN, A. G. W., and VAN HERPEN, G. Correlation between subjective and objective measures of correspondence between different systems of vectorcardiography, 512

C

CACERES, CESAR A. (*See* Gorman et al.), 39
CALATAYUD, JUAN B. (*See* Gorman et al.), 39
CAMPBELL, J. A. H. (*See* Swanepoel et al.), 1
CAPURRO, CARLOS. (*See* Chait et al.), 364
——. (*See* Lanari et al.), 357
CAREY, LEWIS S. (*See* Ruttenberg et al.), 469
CASTILLO, CESAR A. (*See* Rowe et al.), 457
CHAIT, LEONARDO O., LANARI, ALFREDO, and CAPURRO, CARLOS. Electrocardiographic effects of potassium. II. Selective application to the epicardium or endocardium of the isolated dog heart, 364
——. (*See* Lanari et al.), 357
CHAZOV, E. I. (*See* Myasnikov and Chazov), 18
CHUNG, KOO-YOUNG, WALSH, THOMAS J., and MASSIE, EDWARD. Double ventricular parasystole, 162
CHURCHILL, RACHEL E. (*See* Fearrington et al.), 599
CLARKSON, T. B. (*See* Prichard et al.), 715 (Annot.)
COLEMAN, H. NEAL, FINNEY, JAMES O., JR., SHEFFIELD, L. T., PRUITT, CHARLES, and HARRISON, T. R. Precordial movements in relation to age, 53
——. (*See* Harrison et al.), 189
CONRAD, LOYAL L. (*See* Kyriacopoulos et al.), 81
CONSTANT, JULES, and LIPPSCHUTZ, EUGENE J. The one-minute abdominal compression test or "the hepatojugular reflux," a useful bedside test, 701
CORCORAN, A. C. Serum free fatty acid and pressor responses to norepinephrine in healthy subjects and in those with ischemic heart disease, 489
CORDAY, ELIOT, and SKELTON, ROBERT B. T. The use of citrate salts for testing digitalis-induced cardiac arrhythmias in the experimental animal, 237
CROSBY, DAVID J. (*See* Duke and Crosby), 251
CRUMPTON, CHARLES W. (*See* Rowe et al.), 457
CUDDY, T. EDWARD. (*See* Kyriacopoulos et al.), 81
CULLER, M. RODNEY. (*See* Gazes et al.), 830

D

DARBY, THOMAS D. On teaching pharmacology and therapeutics in our medical schools, 145

*January, pp. 1-144, February, pp. 145-286; March, pp. 287-432; April, pp. 433-578; May, pp. 579-720; June, pp. 721-868.

D'Cruz, Ivan A., and Arcilla, Rene A. Anomalous venous drainage of the left lung into the inferior vena cava, 539
DeGraff, Arthur C., and Lyon, Alan F. Diuretic therapy. Part I, 840
DeMasi, Clement J. (*See* Burch et al.), 421
DePasquale, Nicholas P. (*See* Burch and DePasquale), 99, 287, 721
DePass, E. E., and Douglas, C. P. Interventricular septal aneurysm associated with maternal death, 689
Dickerson, Robert B., and Nelson, William P. Paradoxical splitting of the second heart sound: An informative clinical notation, 410
Dixon, Kelly. (*See* Harrison et al.), 189
Dodge, Harold T. (*See* Sauter et al.), 635
Donoso, Ephraim, Adler, Lawrence N., and Friedberg, Charles K. Unusual forms of second-degree atrioventricular block, including Mobitz Type-II block, associated with the Morgagni-Adams-Stokes syndrome, 150
Douglas, C. P. (*See* DePass and Douglas), 689
Dower, G. E., Ziegler, W. G., Berry, F. G., and Moore, A. D. A simple test of speed of response of electrocardiographs, 524
Dressler, William, and Jonas, Sterling. Observations in patients with implanted pacemaker. II. Effective refractory period and full recovery time of the ventricular myocardium calculated from clinical tracings, 724
Duke, Martin, and Crosby, David J. Clinical, hemodynamic, electrocardiographic, and vectorcardiographic observations in progressive muscular dystrophy of 34 years' duration, 251

E

Edwards, Jesse E. (*See* Ruttenberg et al.), 469
——. (*See* Titus et al.), 588
Eisenstein, Reuben, Phelan, William H., and Taba, Mostafa. Clinical pathologic conference, 824
Elliott, Brian J. (*See* Fischmann and Elliott), 792
Epstein, Frederick H. Hereditary aspects of coronary heart disease, 445
Evans, John M. (*See* Meyers and Evans), 15

F

Faul, B. C. (*See* Fonseca Costa et al.), 4
Fearrington, Eric L., Gibson, Thomas C., and Churchill, Rachel E. Vectorcardiographic and electrocardiographic findings in myotonia atrophica. A study employing the Frank lead system, 599
Feinstein, Alvan R. Prophylaxis of rheumatic fever, 278
Fernando, S. D. A. (*See* Jayasinghe et al.), 388
Finkel, Harvey E. Measles myocarditis, 679
Finney, James O., Jr. (*See* Coleman et al.), 53
Fischmann, Eugene J., and Elliott, Brian J. Experimental comparison of "parallel grid leads" with simple bipolar, and the SVEC-III, Frank, and McFee-Parungao systems. I. Sagittal leads, 792
Fletcher, Anthony P. (*See* Sherry et al.), 425 (Annot.)
Flowers, Nancy C. (*See* Horan and Flowers), 567 (Annot.)
Föda, Hassan, Badawi, Hussein, and Salah, Mahmoud. Circulatory hemodynamics before and after portocaval shunt operation in bilharzial hepatic fibrosis, 295
Fonseca Costa, A., Faul, B. C., Ledbetter, Marion K., and Oalmon, Margaret C. The electrocardiogram of the premature infant, 4
Ford, William B. (*See* Bauersfeld et al.), 244
Fowler, Noble O., and Gause, Richard. The cervical venous hum, 135 (Annot.)
Frank, Martin J. (*See* Levinson et al.), 734
Freeman, Zelman. The medical witness, 571 (Annot.)
Freis, Edward D. Hydralazine in hypertension, 133
Friedberg, Charles K. (*See* Donoso et al.), 150
Friedman, R. (*See* Wener et al.), 221

G

Gantt, W. Horsley. (*See* Perez-Cruet and Gantt), 61
Gauer, Otto H., and Henry, James P. Subendocardial hemorrhage in hypotension treated with norepinephrine, 713 (Annot.)
Gause, Richard. (*See* Fowler and Gause), 135 (Annot.)
Gazes, Peter C., Culler, M. Rodney, and Stokes, James K. The diagnosis of angina pectoris, 830
Gellhorn, E. Cardiovascular reactions in asphyxia and the post-asphyxial state, 73
——. The significance of the state of the central autonomic nervous system for quantitative and qualitative aspects of some cardiovascular reactions, 106
Gibson, Thomas C. (*See* Fearrington et al.), 599
Gitlow, Stanley E. (*See* Mendlowitz et al.), 397
Glass, Harold I., Shaw, Gavin, and Smith, George. An implantable cardiac pacemaker allowing rate control, 137 (Annot.)
González-de-Cossío, A., Sánchez-Medal, L., and Smyth, John F. Electrocardiographic modifications in anemia, 166
Goodkind, M. Jay. (*See* Goodyer et al.), 779
Goodman, H. O. (*See* Prichard et al.), 715 (Annot.)
Goodyer, Allan V. N., Goodkind, M. Jay, and Stanley, Ernest J. The effects of abnormal concentrations of the serum electrolytes on left ventricular function in the intact animal, 779
Gorman, Patrick A., Calatayud, Juan B., Abraham, Sidney, and Caceres, Cesar A. Effects of age and heart disease on the QRS axis during the seventh through the tenth decades, 39
Gorten, Ralph J., and Hughes, Harry M. Reliable extrapolation of indicator-dilution curves without replotting, 383
Graham, Thomas P. (*See* Sauter et al.), 635
Grayzel, Joseph, and Jameson, A. Gregory. Optimum criteria for the diagnosis of patent ductus arteriosus from measurements of blood oxygen saturation, 23
Griswold, Herbert E. (*See* Harris et al.), 812
Gudbjarnason, Sigmundur. (*See* Ribeilima et al.), 672

H

Hackel, Donald B. (*See* Sancetta et al.), 593
Hancock, E. W., Hultgren, H. N., and March, H. W. Pulmonary hypertension after Blalock-Taussig anastomosis, 817
Harris, W. E., Semler, Herbert J., and Griswold, Herbert E. Reversed reciprocating paroxysmal tachycardia controlled by guanethidine in a case of Wolff-Parkinson-White syndrome, 812

HARRISON, T. R., DIXON, KELLY, RUSSELL, R. O., JR., BIDWAI, P. S., and COLEMAN, H. NEAL. The relation of age to the duration of contraction, ejection, and relaxation of the normal human heart, 189
——. (*See* Coleman et al.), 53
HEATH, DONALD. (*See* Blackburn et al.), 258
HELLEMS, HARPER K. (*See* Levinson et al.), 734
HENRY, JAMES P. (*See* Gauer and Henry), 713 (Annot.)
HONICK, GERALD L. (*See* Kyriacopoulos et al.), 81
HORAN, LEO G., and FLOWERS, NANCY C. Trial by digitalis, 567 (Annot).
HUGHES, HARRY M. (*See* Gorten and Hughes), 383
HULTGREN, H. N. (*See* Hancock et al.), 817
HYMAN, ALBERT L., MYERS, WILLIAM D., and MEYER, ALLAN. The effect of acute pulmonary embolus upon cardiopulmonary hemodynamics, 313
HYMAN, CHESTER. (*See* Paldino and Hyman), 280 (Annot.)

I

IMBIMBO, BRUNO. (*See* Blackburn et al.), 186

J

JACOBSON, EUGENE D. (*See* Kalas and Jacobson), 764
JAMES, THOMAS N., and NADEAU, REGINALD A. The mechanism of action of quinidine on the sinus node studied by direct perfusion through its artery, 804
JAMESON, A. GREGORY. (*See* Grayzel and Jameson), 23
JAYASINGHE, J. B., FERNANDO, S. D. A., and BRITO-BABAPULLE, L. A. P. The electrocardiogram of a baby elephant, 388
JEPSON, E. M. Thyroxine analogues as hypocholesterolemic agents, 422 (Annot.)
JOHNSON, ALAN J. Present status of thrombolytic therapy, 418
JOHNSTON, ROBIN R. (*See* Sauter et al.), 635
JONAS, STERLING. (*See* Dressler and Jonas), 724
JONES, JOHN W. (*See* Bruce et al.), 643
JORDAN, R. C. (*See* Beswick and Jordan), 232, 657
JOSENHANS, W. K. T. (*See* Van Brummelen et al.), 374
JUCHEMS, R. H. Circulation times in patients with neurocirculatory asthenia, 583

K

KALAS, JOHN P., and JACOBSON, EUGENE D. The effect of vasoactive antagonists in endotoxin shock, 764
KAPLINSKY, E. (*See* Rogel et al.), 516
KASPARIAN, HRATCH. (*See* Onesti et al.), 32
KATIGBAK, RAYMUNDO. (*See* Blackburn and Katigbak), 184
KLEIGER, ROBERT. (*See* Lown et al.), 282 (Annot.)
KRAKOWER, CECIL A., and ROBERG, NORMAN B. Clinical pathologic conference, 550
KRUML, J. (*See* Švejcar et al.), 572 (Annot.)
KUHN, LESLIE A. Electrical conversion of arrhythmias, 709
KUSKIN, LAWRENCE. (*See* Blackman and Kuskin), 304
KYRIACOPOULOS, JOHN D., CONRAD, LOYAL L., CUDDY, T. EDWARD, and HONICK, GERALD L. Activation of the free wall of the right ventricle in experimental right ventricular hypertrophy with and without right bundle branch block, 81

L

LANARI, ALFREDO, CHAIT, LEONARDO O., and CAPURRO, CARLOS. Electrocardiographic effects of potassium. I. Perfusion through the coronary bed, 357
——. (*See* Chait et al.), 364
LANGNER, PAUL H., JR. Recording high-frequency components with a conventional direct-writing electrocardiograph and a four-speed FM magnetic tape recorder, 712 (Annot.)
——. (*See* Mansure and Langner), 88
LAURIE, W., and WOODS, J. D. Single coronary artery, 95
LEDBETTER, MARION K. (*See* Fonseca Costa et al.), 4
LEVINSON, GILBERT E., FRANK, MARTIN J., and HELLEMS, HARPER K. The pulmonary vascular volume in man. Measurement from atrial dilution curves, 734
LIKOFF, WILLIAM. (*See* Segal and Likoff), 757
LINDSAY, MALCOLM I., JR., and SPIEKERMAN, RALPH E. Re-evaluation of therapy of acute myocardial infarction, 559
LINHART, J. (*See* Švejcar et al.), 572 (Annot.)
LIPPSCHUTZ, EUGENE J. (*See* Constant and Lippschutz), 701
LOFLAND, H. B. (*See* Prichard et al.), 715 (Annot.)
LOUGHLIN, J. (*See* Ludbrook and Loughlin), 493
LOVE, W. D. Isotope clearance and myocardial blood flow, 579
LOWN, BERNARD, KLEIGER, ROBERT, and WOLFF, GERALD. The technique of cardioversion, 282 (Annot.)
LUDBROOK, J., and LOUGHLIN, J. Regulation of volume in postarteriolar vessels of the lower limb, 493
LYON, ALAN F. (*See* DeGraff and Lyon), 840

M

MANSURE, FRANK T., and LANGNER, PAUL H., JR. A high-speed camera for high-frequency electrocardiography, 88
MARCH, H. W. (*See* Hancock et al.), 817
MARCONTELL, JERRY. (*See* Rosenberg and Marcontell), 379
MARCUS, FRANK I., WESTURA, EDWIN E., and SUMMA, JOHN. The hemodynamic effect of the Valsalva maneuver in muscular subaortic stenosis, 324
MARTIN, J. K. Congenital malformations associated with thalidomide and their management, 284 (Annot.)
MARTINS DE OLIVEIRA, JORGE. Changes in the levels of serum cholesterol and beta lipoprotein according to age, sex, and the existence of coronary heart disease, 177
MASSIE, EDWARD. (*See* Chung et al.), 162
MASSUMI, RASHID A. (*See* Wiener et al.), 684
MAYMAN, A. (*See* Wener et al.), 221
MCKEOWN, THOMAS. Population study of arterial pressure, 569 (Annot.)
MENDEZ, C. (*See* Moe et al.), 338
MENDLOWITZ, MILTON, GITLOW, STANLEY E., WOLF, ROBERT L., and NAFTCHI, NOSRAT E. On the integration of factors in essential hypertension, 397
MERRILL, ARTHUR J. Dialysis for chronic renal failure, 281 (Annot.)
——. Intractable heart failure—management with 5 to 7 days of fasting. A preliminary test, 433
MEYER, ALLAN. (*See* Hyman et al.), 313
MEYERS, FRED, and EVANS, JOHN M. The serum transaminase (S-GOT) and electrocardiogram in autopsy-confirmed acute myocardial infarction, 15

MILLER, DAVID I. (*See* Mower et al.), 437
MITCHELL, PAUL. (*See* Blackburn et al.), 186
MOE, GORDON K., ABILDSKOV, J. A., and MENDEZ, C. An experimental study of concealed conduction, 338
——, RHEINBOLDT, WERNER C., and ABILDSKOV, J. A. A computer model of atrial fibrillation, 200
MOORE, A. D. (*See* Dower et al.), 524
MORGAN, CLARENCE L., and NADAS, ALEXANDER S. Chronic ectopic tachycardia in infancy and childhood, 617
MOTOLA, R. (*See* Wener et al.), 221
MOWER, MORTON M., MILLER, DAVID I., and NACHLAS, MARVIN M. Clinical features relevant to possible resuscitation in death after acute myocardial infarction, 437
MOYER, JOHN H. (*See* Onesti et al.), 32
MUEHSAM, GERALD E., PSCHIBUL, FRANZ, and SCERBO, JOSEPH E. The natural history of idiopathic cardiomegaly, 173
MYASNIKOV, A. L., and CHAZOV, E. I. Antiheparin and antifibrinolytic activity of blood in patients with atherosclerosis, 18
MYERS, WILLIAM D. (*See* Hyman et al.), 313

N

NACHLAS, MARVIN M. (*See* Mower et al.), 437
NADAS, ALEXANDER S. (*See* Morgan and Nadas), 617
NADEAU, REGINALD A. (*See* James and Nadeau), 804
NAFTCHI, NOSRAT E. (*See* Mendlowitz et al.), 397
NELSON, WILLIAM P. (*See* Dickerson and Nelson), 410
NEUFELD, HENRY N. (*See* Titus et al.), 588
NITYANAND, SWARN, and ZAIDI, S. H. Experimental pulmonary embolism and arteriosclerosis. Effect of vasospasm, 529
NOVACK, PAUL. (*See* Onesti et al.), 32

O

OALMON, MARGARET C. (*See* Fonseca Costa et al.), 4
ONESTI, GADDO, BREST, ALBERT N., NOVACK, PAUL, KASPARIAN, HRATCH, and MOYER, JOHN H. Pharmacodynamic effects of alpha-methyl dopa in hypertensive subjects, 32
ORAM, SAMUEL, ROSS, GORDON, PELL, LIONEL, and WINTELER, JOHN. Renal cortical calcification after snake bite, 714 (Annot.)

P

PALDINO, RITA L., and HYMAN, CHESTER. Alternative pathways for the return of lymph, 280 (Annot.)
PELL, LIONEL. (*See* Oram et al.), 714 (Annot.)
PEREZ-CRUET, JORGE, and GANTT, W. HORSLEY. Conditional reflex electrocardiogram of bulbocapnine: Conditioning of the T wave, 61
PHELAN, WILLIAM H. (*See* Eisenstein et al.), 824
PHILLIPS, JOHN H., and BURCH, GEORGE E. Management of cardiac arrest, 265
PINTAR, K. (*See* Wener et al.), 221
PIPBERGER, HUBERT V. (*See* Yano and Pipberger), 44
POWLEY, P. H. Rheomacrodex in peripheral ischemia, 424 (Annot.)
PŘEROVSKÝ, I. (*See* Švejcar et al.), 572 (Annot.)
PRICHARD, R. W., CLARKSON, T. B., LOFLAND, H. B., and GOODMAN, H. O. Pigeon atherosclerosis, 715 (Annot.)
PRUITT, CHARLES. (*See* Coleman et al.), 53
PSCHIBUL, FRANZ. (*See* Muehsam et al.), 173

R

RAMOS, HERMINIO. (*See* Ribeilima et al.), 672
REKATE, ALBERT C. (*See* Winkelstein and Rekate), 481
REYNOLDS, ERNEST W., JR. Ionic transfer in cardiac muscle. An explanation of cardiac electrical activity, 693
REYNOLDS, TELFER B. Phenacetin nephritis, 845 (Annot.)
RHEINBOLDT, WERNER C. (*See* Moe et al.), 200
RIBEILIMA, JOSE, WENDT, VERNON E., RAMOS, HERMINIO, GUDBJARNASON, SIGMUNDUR, BRUCE, THOMAS A., and BING, RICHARD J. The effects of norepinephrine on the hemodynamics and myocardial metabolism of normal human subjects, 672
RIOS, JORGE C. (*See* Wiener et al.), 684
ROBERG, NORMAN B. (*See* Krakower and Roberg), 550
RODENSKY, PAUL L., and WASSERMAN, FRED. Effect of sex difference in digoxin toxicity, 845 (Annot.)
ROGEL, S., BERKOFF, H., and KAPLINSKY, E. Hemodynamic consequences of experimental ventricular pre-excitation, 516
ROSENBERG, HARVEY S., and MARCONTELL, JERRY. Whole-mount, paraffin imbedding as a method for preservation of congenitally malformed hearts, 379
ROSS, GORDON. (*See* Oram et al.), 714 (Annot.)
ROWE, GEORGE G., CASTILLO, CESAR A., AFONSO, SKODA, and CRUMPTON, CHARLES W. Coronary flow measured by the nitrous-oxide method, 457
——. Relative stenosis of cardiac valves, 334
RUSSELL, R. O., JR. (*See* Harrison et al.), 189
RUTTENBERG, HERBERT D., STEIDL, RICHARD M., CAREY, LEWIS S., and EDWARDS, JESSE E. Glycogen-storage disease of the heart, 469

S

SAKAMOTO, TSUGUYA. (*See* Arevalo and Sakamoto), 651
SALAH, MAHMOUD. (*See* Foda et al.), 295
SANCETTA, SALVATORE M., HACKEL, DONALD B., TRAKS, ELMERICE, and WITTELS, BENJAMIN. The effects of "dry" heat on the circulation of man. Coronary hemodynamics, 593
SÁNCHEZ-MEDAL, L. (*See* González-de-Cossío et al.), 166
SAUTER, HANS J., DODGE, HAROLD T., JOHNSTON, ROBIN R., and GRAHAM, THOMAS P. The relationship of left atrial pressure and volume in patients with heart disease, 635
SCARBOROUGH, W. R. (*See* Van Brummelen et al.), 374
SCERBO, JOSEPH E. (*See* Muehsam et al.), 173
SCHNEIDER, H. Physical principles of artificial stimulation of the heart. Stimulation of the canine heart in situ, 628
SCHOENFELD, MYRON R. Increased serum acid phosphatase after arterial embolism, 92
SCHRIRE, V. (*See* Beck et al.), 742
——. (*See* Sutin and Schrire), 749
SCHUCHER, R. (*See* Wener et al.), 221
SEGAL, BERNARD L., and LIKOFF, WILLIAM. Late systolic murmur of mitral regurgitation, 757
SEGEL, NATHAN. The circulatory effects of synthetic vasopressin in cirrhosis of the liver, 846
SEMLER, HERBERT J. (*See* Harris et al.), 812
SHAW, GAVIN. (*See* Glass et al.), 137 (Annot.)
SHEFFIELD, L. T. (*See* Coleman et al.), 53
SHERRY, SOL, FLETCHER, ANTHONY P., and ALKJAERSIG, NORMA K. Fibrinolytic bleeding and its control, 425 (Annot.)
SIMON, M. A. (*See* Wener et al.), 221
SKELTON, ROBERT B. T. (*See* Corday and Skelton), 237

SMITH, GEORGE. (*See* Glass et al.), 137 (Annot.)
SMYTH, JOHN F. (*See* González-de-Cossío et al.), 166
SMYTHE, P. M. (*See* Swanepoel et al.), 1
SPENCER, A. T. (*See* Blackburn et al.), 258
SPIEKERMAN, RALPH E. (*See* Lindsay and Spiekerman), 559
STALLMANN, FRIEDEMANN W. A computer program for automatic analysis of electrocardiograms, 136 (Annot.)
STANLEY, ERNEST J. (*See* Goodyer et al.), 779
STEIDL, RICHARD M. (*See* Ruttenberg et al.), 469
STOBIE, GEORGE H. C. (*See* Thaler and Stobie), 844 (Annot.)
STOKES, JAMES K. (*See* Gazes et al.), 830
STRAIT, GAIL B. (*See* Bruce et al.), 643
SUMMA, JOHN. (*See* Marcus et al.), 324
SUTIN, GERALD J., and SCHRIRE, V. The electrocardiogram in the first two days of life. An interracial study, 749
ŠVEJCAR, J., PŘEROVSKÝ, I., LINHART, J., and KRUML, J. Biochemical differences in the composition of primary varicose veins, 572 (Annot.)
SWANEPOEL, A., SMYTHE, P. M., and CAMPBELL, J. A. H. The heart in kwashiorkor, 1

T

TABA, MOSTAFA. (*See* Eisenstein et al.), 824
TABARI, KAMBUZIA. (*See* Vogel et al.), 158, 610
THALER, MANNING MICHAEL, and STOBIE, GEORGE H. C. An improved technique of external cardiac compression in infants and young children, 844 (Annot.)
TITUS, JACK L., NEUFELD, HENRY N., and EDWARDS, JESSE E. The atrioventricular conduction system in hearts with both great vessels originating from the right ventricle, 588
TRAKS, ELMERICE. (*See* Sancetta et al.), 593

V

VAN BRUMMELEN, A. G. W., SCARBOROUGH, W. R., and JOSENHANS, W. K. T. On the elimination of pulse wave velocity in stroke volume determination from the ultralow-frequency displacement ballistocardiogram, 374
——. (*See* Burger et al.), 512
VAN HERPEN, G. (*See* Burger et al.), 512
VOGEL, JOHN H. K., AVERILL, KEITH H., TABARI, KAMBUZIA, and BLOUNT, S. GILBERT, JR. Detection of intracardiac shunts with the platinum electrode, using a simplified percutaneous approach, 610
——, TABARI, KAMBUZIA, AVERILL, KEITH H., and BLOUNT, S. GILBERT, JR. A simple technique for identifying P waves in complex arrhythmias, 158
VOGELPOEL, L. (*See* Beck et al.), 742
VON HOYNINGEN-HUENE, CHRISTIAN B. J. Systemic amyloidosis presenting as constrictive pericarditis. A case studied with cardiac catheterization, 290

W

WALSH, JOHN J. (*See* Burch et al.), 421 (Annot.)
WALSH, THOMAS J. (*See* Chung et al.), 162
WASSERMAN, FRED. (*See* Rodensky and Wasserman), 845 (Annot.)
WENDT, VERNON E. (*See* Ribeilima et al.), 672
WENER, J., PINTAR, K., SIMON, M. A., MOTOLA, R., FRIEDMAN, R., MAYMAN, A., and SCHUCHER, R. The effects of prolonged hypomagnesemia on the cardiovascular system in young dogs, 221
WESTURA, EDWIN E. (*See* Marcus et al.), 324
WIENER, LESLIE, RIOS, JORGE C., and MASSUMI, RASHID A. T-wave inversion with elevated RS-T segment simulating myocardial injury, 684
WINKELSTEIN, WARREN, and REKATE, ALBERT C. Age trend of mortality from coronary artery disease in women and observations on the reproductive patterns of those affected, 481.
WINTELER, JOHN. (*See* Oram et al.), 714 (Annot.)
WITTELS, BENJAMIN. (*See* Sancetta et al.), 593
WOLF, ROBERT L. (*See* Mendlowitz et al.), 397
WOLFF, GERALD. (*See* Lown et al.), 282 (Annot.)
WOODS, J. D. (*See* Laurie and Woods), 95

Y

YANO, KATSUHIKO, and PIPBERGER, HUBERT V. Correlations between radiologic heart size and orthogonal electrocardiograms in patients with left ventricular overload, 44
YOUNG, DENNISON. Treatment of paroxysmal supraventricular tachycardia in infancy, 565

Z

ZAIDI, S. H. (*See* Nityanand and Zaidi), 529
ZIEGLER, W. G. (*See* Dower et al.), 524
ZUBERBUHLER, JAMES R. (*See* Bauersfeld et al.), 244

Subject index*

A

Abdominal compression test, one-minute, or "hepatojugular reflux," useful bedside test (Constant and Lippschutz), 701

Acid, free fatty, serum, and pressor responses to norepinephrine in healthy subjects and in those with ischemic heart disease (Corcoran), 489

phosphatase, serum, increased, after arterial embolism (Schoenfeld), 92

Adolescents, normal, inverted T waves in precordial electrocardiogram of (Blackman and Kuskin), 304

Age and heart disease, effects of, on QRS axis during seventh through tenth decades (Gorman et al.), 39

precordial movements in relation to (Coleman, et al.), 53

relation of, to duration of contraction, ejection, and relaxation of normal human heart (Harrison et al.), 189

trend of mortality from coronary artery disease in women and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481

Alpha-methyl dopa, pharmacodynamic effects of, in hypertensive subjects (Onesti et al.), 32

Amyloidosis, systemic, presenting as constrictive pericarditis. Case studied with cardiac catheterization (Von Hoyningen-Huene), 290

Anaerobic metabolic responses to acute maximal exercise in male athletes (Bruce et al.), 643

Analogues, thyroxine, as hypocholesterolemic agents (Jepson), 422 (Annot.)

Anastomosis, Blalock-Taussig, pulmonary hypertension after (Hancock et al.), 817

Anemia, electrocardiographic modifications in (González-de-Cossío et al.), 166

Aneurysm, dissecting, of carotid artery and aorta after carotid angiography (Braunstein), 545

septal, interventricular, associated with maternal death (DePass and Douglas), 689

Angina pectoris, diagnosis of (Gazes et al.), 830

Angiography, carotid, dissecting aneurysm of carotid artery and aorta after (Braunstein), 545

Animal, intact, effects of abnormal concentrations of serum electrolytes on left ventricular function in (Goodyer et al.), 779

Annotations, 135, 280, 421, 567, 712, 844

Announcements, 144, 432, 578, 720

Antagonists, vasoactive, effect of, in endotoxin shock (Kalas and Jacobson), 764

Anticoagulant therapy after acute myocardial infarction (Lindsay and Spiekerman), 559

Anticoagulants, peroral, initial heparin therapy as supplement to, in acute myocardial infarction, 143 (B. Rev.)

Antifibrinolytic, antiheparin and, activity of blood in patients with atherosclerosis (Myasnikov and Chazov), 18

Antiheparin and antifibrinolytic activity of blood in patients with atherosclerosis (Myasnikov and Chazov), 18

Aorta, dissecting aneurysm of carotid artery and, after carotid angiography (Braunstein), 545

Arrest, cardiac, treatment of (Phillips and Burch), 266

Arrhythmias, cardiac, digitalis-induced, use of citrate salts for testing, in experimental animal (Corday and Skelton), 237

complex, simple technique for identifying P waves in (Vogel et al.), 158

electrical conversion of (Kuhn), 709

Arterial embolism, increased serum acid phosphatase after (Schoenfeld), 92

hypertension and ischaemic heart disease. Comparison in epidemiological studies, 143 (B. Rev.)

pressure, population study of (McKeown), 569 (Annot.)

Arteries, coronary peripheral, and cerebral, occlusion of: morbidity, 431 (B. Rev.)

Arteriosus, patent ductus, optimum criteria for diagnosis of, from measurements of blood oxygen saturation (Grayzel and Jameson), 23

Artery, carotid, and aorta, dissecting aneurysm of, after carotid angiography (Braunstein), 545

coronary, disease, in women, age trend of mortality from, and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481

single (Laurie and Woods), 95

its, mechanism of action of quinidine on sinus node studied by direct perfusion through (James and Nadeau), 804

Asphyxia and postasphyxial state, cardiovascular reactions in (Gellhorn), 73

Asthenia, neurocirculatory, circulation times in patients with (Juchems), 583

Atherosclerosis, antiheparin and antifibrinolytic activity of blood in patients with (Myasnikov and Chazov), 18

pigeon (Richard, et al.), 715 (Annot.)

Athletes, male, anaerobic metabolic responses to acute maximal exercise in (Bruce et al.), 643

Atrial dilution curves, measurement from; pulmonary vascular volume in man (Levinson et al.), 734

fibrillation, computer model of (Moe et al.), 200

left, right pulmonary artery—, communication (Bauersfeld, et al.), 244

pressure and volume, left, relationship of, in patients with heart disease (Sauter et al.), 635

Atrioventricular block, second-degree, unusual forms of, including Mobitz Type-II block, associated with Morgagni-Adams-Stokes syndrome (Donoso et al.), 150

conduction system in hearts with both great vessels originating from right ventricle (Titus et al.), 588

*January, pp. 1-144; February, pp. 145-286; March, pp. 287-432; April, pp. 433-578; May, pp. 579-720; June, pp. 721-868.

Atrioventricular block—Cont'd
nodal (reciprocating) rhythm (Burchell), 391
Automatic analysis of electrocardiograms, computer program for (Stallmann), 136 (Annot.)
Autonomic nervous system, central, significance of state of, for quantitative and qualitative aspects of some cardiovascular reactions (Gellhorn), 106
reactivity in postasphyxial state (III) (Gellhorn), 77
A-V block, 2:1, with A-V interference dissociation (Donoso et al.), 154

B

Ballistocardiogram, displacement, ultralow - frequency, on elimination of pulse wave velocity in stroke volume determination from (Van Brummelen, et al.), 374
Baroreceptor reflexes, tuning of autonomic system through (II) (Gellhorn), 110
Beats, concealed, repetitive (Moe et al.), 343
Beta lipoprotein, changes in levels of serum cholesterol and, according to age, sex, and existence of coronary heart disease (Martins de Oliveira), 177
Bilharzial hepatic fibrosis, circulatory hemodynamics before and after portocaval shunt operation in (Foda et al.), 295
Biochemical differences in composition of primary varicose veins (Švejcar et al.), 572 (Annot.)
Bipolar, simple, and SVEC-III, Frank, and McFee-Parungao systems, experimental comparison of "parallel grid leads" with. I. Sagittal leads (Fischmann and Elliott), 792
Blalock-Taussig anastomosis, pulmonary hypertension after (Hancock, et al.), 817
Bleeding, fibrinolytic, and its control (Sherry et al.), 425 (Annot.)
Block, atrioventricular, second-degree, unusual forms of, including Mcbitz Type-II block, associated with Morgagni-Adams-Stokes syndrome (Donoso et al.), 150
bundle branch, right, activation of free wall of right ventricle in experimental right ventricular hypertrophy with and without (Kyriacopoulos, et al.), 81
Blood, antiheparin and antifibrinolytic activity of, in patients with atherosclerosis (Myasnikov and Chazov), 18
oxygen saturation, optimum criteria for diagnosis of patent ductus arteriosus from measurements of (Grayzel and Jameson), 23
Book reviews, 142, 286, 431, 576, 718
British medical bulletin, 286 (B. Rev.)
Bulbocapnine, conditional reflex electrocardiogram of: conditioning of T wave (Perez-Cruet and Gantt), 61
Bundle branch block, right, activation of free wall of right ventricle in experimental right ventricular hypertrophy with and without (Kyriacopoulos, et al.), 81

C

Calcification, cortical, renal, after snake bite (Oram et al.), 714 (Annot.)
of heart, 576 (B. Rev.)
Camera, high-speed, for high-frequency electrocardiography (Mansure and Langner), 88
Canine heart, stimulation of, in situ; physical principles of artificial stimulation of heart (Schneider), 628
Cardiac arrest, management of (Phillips and Burch), 265
arrhythmias, digitalis-induced, use of citrate
salts for testing, in experimental animal (Corday and Skelton), 237
catheterization, case studied with; systemic amyloidosis presenting as constrictive pericarditis (Von Hoyningen-Huene), 290
compression, external, improved technique of, in infants and young children (Thaler and Stobie), 844 (Annot.)
diseases, specific, dental aspects of (Burch and DePasquale), 100
muscle, ionic transfer in. Explanation of cardiac electrical activity (Reynolds), 693
necroses, conditioning factors for, 286 (B. Rev.)
pacemaker, implantable, allowing rate control (Glass et al.), 137 (Annot.)
valves, relative stenosis of (Rowe), 334
Cardiographic technique, 718 (B. Rev.)
Cardiologist, role of, in dental management (Burch and DePasquale), 102
Cardiology, relationship of dentistry to (Burch and DePasquale), 99
Cardiomegaly, idiopathic, natural history of (Muehsam et al.), 173
Cardiopulmonary hemodynamics, effect of acute pulmonary embolus upon (Hyman et al.), 313
Cardiorespiratory support, artificial, criteria by which to evaluate effectiveness of (Phillips and Burch), 268
Cardiovascular and renal diseases, year book of, 286 (B. Rev.)
disease, medical electronics in, 144 (B. Rev.)
diseases: new etiological considerations (Burch), 139 (Annot.)
reactions in asphyxia and postasphyxial state (Gellhorn), 73
some, significance of state of central autonomic nervous system for quantitative and qualitative aspects of (Gellhorn), 106
system, effects of prolonged hypomagnesemia on, in young dogs (Wener, et al.), 221
Cardioversion, technique of (Lown et al.), 282 (Annot.)
Carotid artery and aorta, dissecting aneurysm of, after carotid angiography (Braunstein), 545
Catheterization, cardiac, case studied with; systemic amyloidosis presenting as constrictive pericarditis (Von Hoyningen-Huene), 290
Cerebral, coronary peripheral and, arteries, occlusion of: morbidity, 431 (B. Rev.)
Cervical venous hum (Fowler and Gause), 135 (Annot.)
Chest electrode, simple, for orthogonal vectorcardiography (Beswick and Jordan), 232
Childhood, chronic ectopic tachycardia in infancy and (Morgan and Nadas), 617
Children, young, improved technique of external cardiac compression in infants and (Thaler and Stobie), 844 (Annot.)
Cholesterol, serum, and beta lipoprotein, changes in levels of, according to age, sex, and existence of coronary heart disease (Martins de Oliveira), 177
your, eat, drink, and lower, 718 (B. Rev.)
Circulation of man, effects of "dry" heat on. Coronary hemodynamics (Sancetta et al.), 593
times in patients with neurocirculatory asthenia (Juchems), 583
Circulatory effects of synthetic vasopressin in cirrhosis of liver (Segel), 846 (Annot.)
hemodynamics before and after portocaval shunt operation in bilharzial hepatic fibrosis (Foda et al.), 295

Cirrhosis of liver, circulatory effects of synthetic vasopressin in (Segel), 846 (Annot.)
Citrate salts, use of, for testing digitalis-induced cardiac arrhythmias in experimental animal (Corday and Skelton), 237
Clinical pathologic conference (Blackburn et al.), 258
(Eisenstein et al.), 824
(Krakower and Roberg), 550
Clinician, mathematics and (Fischmann and Elliott), 793
Clinico-pathological conferences of Mount Sinai Hospital, 432 (B. Rev.)
Closure, surgical, of ventricular septal defect, value of phonocardiography in assessment of (Beck, et al.), 742
Communication, right pulmonary artery–left atrial (Bauersfeld, et al.), 244
Components, high-frequency, recording, with conventional direct-writing electrocardiograph and four-speed FM magnetic tape recorder (Langner), 712 (Annot.)
Compression, abdominal, mechanism of effect of, in normal patients (Constant and Lippschutz), 703
cardiac, external, improved technique of, in infants and young children (Thaler and Stobie), 844 (Annot.)
test, abdominal, one-minute, or "hepatojugular reflux," useful bedside test (Constant and Lippschutz), 701
Computer application in medicine, 719 (B. Rev.)
model of atrial fibrillation (Moe et al.), 200
program for automatic analysis of electrocardiograms (Stallmann), 136 (Annot.)
Concentration cell (Reynolds), 694
Conduction, concealed, experimental study of (Moe et al.), 338
system, atrioventricular, in hearts with both great vessels originating from right ventricle (Titus et al.), 588
Congenital malformations associated with thalidomide and their management (Martin), 284 (Annot.)
Constrictive pericarditis, systemic amyloidosis presenting as. Case studied with cardiac catheterization (Von Hoyningen-Huene), 290
Contraction, ejection, and relaxation of normal human heart, relation of age to duration of (Harrison, et al.), 189
Control, rate, implantable cardiac pacemaker allowing (Glass et al.), 137 (Annot.)
Conversion, electrical, of arrhythmias (Kuhn), 709
Coronary artery disease in women, age trend of mortality from, and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481
single (Laurie and Woods), 95
bed, perfusion through (I); electrocardiographic effects of potassium (Lanari et al.), 357
flow measured by nitrous-oxide method (Rowe et al.), 457
heart disease, changes in levels of serum cholesterol and beta lipoprotein according to age, sex, and existence of (Martins de Oliveira), 177
hereditary aspects of (Epstein), 445
hemodynamics; effects of "dry" heat on circulation of man (Sancetta, et al.), 593
peripheral, and cerebral arteries, occlusion of: morbidity, 431 (B. Rev.)
thrombosis, incubation period of, 431 (B. Rev.)
Correspondence, correlation between subjective and objective measures of, between different systems of vectorcardiography (Burger et al.), 512
Cortical, renal, calcification after snake bite (Oram et al.) 714 (Annot.)
Curves, atrial dilution, measurement from; pulmonary vascular volume in man (Levinson et al.), 734
indicator-dilution, reliable extrapolation of, without replotting (Gorten and Hughes), 383

D

Death, maternal, interventricular septal aneurysm associated with (DePass and Douglas), 689
Denervation, sympathetic, effects of (Moe, et al.), 341
Dental aspects of specific cardiac diseases (Burch and DePasquale), 100
management, role of cardiologist in (Burch and DePasquale), 102
Dentistry, relationship of, to cardiology (Burch and DePasquale), 99
Dialysis for chronic renal failure (Merrill), 281 (Annot.)
Digitalis, trial by (Horan and Flowers), 567 (Annot.)
Digitalis-induced cardiac arrhythmias, use of citrate salts for testing, in experimental animal (Corday and Skelton), 237
Digoxin toxicity, effect of sex difference in (Rodensky and Wasserman), 845 (Annot.)
Dilution curves, atrial, measurement from; pulmonary vascular volume in man (Levinson et al.), 734
Displacement ballistocardiogram, ultralow-frequency, on elimination of pulse wave velocity in stroke volume determination from (Van Brummelen et al.), 374
Dissecting aneurysm of carotid artery and aorta after carotid angiography (Braunstein), 545
Diuretic therapy. Part I (DeGraff and Lyon), 840
Diuretics, osmotic (Table I) (DeGraff and Lyon), 841
Dog and man, on duration of isovolumetric relaxation period (IVRP) in (Arevalo and Sakamoto), 651
heart, isolated, selective application to epicardium or endocardium of (II); electrocardiographic effects of potassium (Chait, et al.), 364
Dogs, young, effects of prolonged hypomagnesemia on cardiovascular system in (Wener, et al.), 221
Drainage, venous, anomalous, of left lung into inferior vena cava (D'Cruz and Arcilla), 539
"Dry" heat, effects of, on circulation of man. Coronary hemodynamics (Sancetta, et al.), 593
Dystrophy, muscular, progressive, of 34 years' duration, clinical, hemodynamic, electrocardiographic, and vectorcardiographic observations in (Duke and Crosby), 251

E

ECG, exercise, test. At what intervals to record after exercise? (Blackburn et al.), 186
Ectopic tachycardia, chronic, in infancy and childhood (Morgan and Nadas), 617
Editorial. Heart in kwashiorkor (Swanepoel et al.), 1
Intractable heart failure—management with 5 to 7 days of fasting. Preliminary trial (Merrill), 433
Isotope clearance and myocardial blood flow (Love), 579

Editorial—Cont'd
On teaching pharmacology and therapeutics in our medical schools (Darby), 145
The advantages of research on man (Burch and DePasquale), 287
Viral endocarditis (Burch and DePasquale), 721
Ejection, contraction, and relaxation of normal human heart, relation of age to duration of (Harrison, et al.), 189
Electrical activity, cardiac, explanation of; ionic transfer in cardiac muscle (Reynolds), 693
conversion of arrhythmias (Kuhn), 709
Electrocardiogram in first two days of life. Interracial study (Sutin and Schrire), 749
of baby elephant (Jayasinghe et al.), 388
of premature infant (Fonseca Costa et al.), 4
of race horse, studies on, 143 (B. Rev.)
precordial, of normal adolescents, inverted T waves in (Blackman and Kuskin), 304
reflex, conditional, of bulbocapnine: conditioning of T wave (Perez-Cruet and Gantt), 61
serum transaminase (S-GOT) and, in autopsy-confirmed acute myocardial infarction (Meyers and Evans), 15
Electrocardiograms, computer program for automatic analysis of (Stallmann), 136 (Annot.)
orthogonal, correlations between radiologic heart size and, in patients with left ventricular overload (Yano and Pipberger), 44
Electrocardiograph, direct-writing, conventional, and four-speed FM magnetic tape recorder, recording high-frequency components with (Langner), 712 (Annot.)
Electrocardiographic changes, positive, after exercise (Gazes et al.), 832
effects of potassium. I. Perfusion through coronary bed (Lanari et al.), 357
II. Selective application to epicardium or endocardium of isolated dog heart (Chait et al.), 364
findings in myotonia atrophica, vectorcardiographic and. Study employing Frank lead system (Fearrington et al.), 599
interpretation, 578 (B. Rev.)
leads, what, to take after exercise (Blackburn and Katigbak), 184
modifications in anemia (González-de-Cossío et al.), 166
notebook, 720 (B. Rev.)
observations, clinical, hemodynamic, and vectorcardiographic, in progressive muscular dystrophy of 34 years' duration (Duke and Crosby), 251
Electrocardiographs, simple test of speed of response of (Dower et al.), 524
Electrocardiography, high-frequency, high-speed camera for (Mansure and Langner), 88
Electrode, chest, simple, for orthogonal vectorcardiography (Beswick and Jordan), 232
platinum, detection of intracardiac shunts with, using simplified percutaneous approach (Vogel et al.), 610
Electrolytes, serum, effects of abnormal concentrations of, on left ventricular function in intact animal (Goodyer et al.), 779
Electronics, medical, in cardiovascular disease, 144 (B. Rev.)
Elephant, baby, electrocardiogram of (Jayasinghe et al.), 388
Embolism, arterial, increased serum acid phosphatase after (Schoenfeld), 92
pulmonary, and arteriosclerosis, experimental. Effect of vasospasm (Nityanand and Zaidi), 529
Embolus, pulmonary, acute, effect of, upon cardiopulmonary hemodynamics (Hyman et al.), 313
Endocarditis, viral (Burch and DePasquale), 721
Endocardium, epicardium or, of isolated dog heart, selective application to (II); electrocardiographic effects of potassium (Chait et al.), 364
Endotoxin injected at zero time in 6 groups of 5 dogs each, comparison of changes in systemic arterial pressure, portal venous pressure, and splenic vascular resistance in response to (Table II) (Kalas and Jacobson), 768
shock, effect of vasoactive antagonists in (Kalas and Jacobson), 764
Epicardium or endocardium of isolated dog heart, selective application to (II); electrocardiographic effects of potassium (Chait et al.), 364
Essential hypertension, on integration of factors in (Mendlowitz et al.), 397
Exercise ECG test. At what intervals to record after exercise? (Blackburn et al.), 186
maximal, acute, anaerobic metabolic responses to, in male athletes (Bruce et al.), 643
what electrocardiographic leads to take after (Blackburn and Katigbak), 184
Extrapolation, reliable, of indicator—dilution curves without replotting (Gorten and Hughes), 383

F

Failure, heart, intractable,—management with 5 to 7 days of fasting. Preliminary report (Merrill), 433
Familial aggregations of coronary heart disease (Epstein), 445
Fasting, intractable heart failure—management with 5 to 7 days of. Preliminary trial (Merrill), 433
Fatty acid, free, serum, and pressor responses to norepinephrine in healthy subjects and in those with ischemic heart disease (Corcoran), 489
Fever, rheumatic, prophylaxis of (Feinstein), 278
Fibers, cardiac, concentration gradient of (Reynolds), 695
Fibrillation, atrial, computer model of (Moe et al.), 200
Fibrinolytic bleeding and its control (Sherry et al.), 425 (Annot.)
Fibrosis, hepatic, bilharzial, circulatory hemodynamics before and after portocaval shunt operation in (Foda et al.), 295
Flow, coronary, measured by nitrous-oxide method (Rowe et al.), 457
Frank lead system, study employing; vectorcardiographic and electrocardiographic findings in myotonia atrophica (Fearrington et al.), 599
experimental comparison of "parallel grid leads" with, simple bipolar, and SVEC-III, and McFee-Parungao systems. I. Sagittal leads (Fischmann and Elliott), 792
Functional stenosis of semilunar valve, quantitative evaluation of (Bayley), 508

G

Geriatric patient, care of, 431 (B. Rev.)
Glycogen-storage disease of heart (Ruttenberg et al.), 469

Great vessels, both, originating from right ventricle, atrioventricular conduction system in hearts with (Titus et al.), 588
Grid lead, parallel, theory (Fischmann and Elliott), 800
leads, parallel (Fischmann and Elliott), 796
Guanethidine dosage and reversed reciprocating paroxysmal tachycardia, relationship of (Harris et al.), 814

H

Hämodynamik und Herzschall, Korrelationen zwischen, 142 (B. Rev.)
Heart, calcification of, 576 (B. Rev.)
disease, congenital, atlas of, 142 (B. Rev.)
coronary, changes in levels of serum cholesterol and beta lipoprotein according to age, sex, and existence of (Martins de Oliveira), 177
hereditary aspects of (Epstein), 445
effects of age and, on QRS axis during seventh through tenth decades (Gorman et al.), 39
ischaemic, arterial hypertension and. Comparison in epidemiological studies, 143 (B. Rev.)
ischemic, serum free fatty acid and pressor responses to norepinephrine in healthy subjects and in those with (Corcoran), 489
relationship of left atrial pressure and volume in patients with (Sauter et al.), 635
dog, isolated, selective application to epicardium or endocardium of (II); electrocardiographic effects of potassium (Chait et al.), 364
failure, intractable—management with 5 to 7 days of fasting. Preliminary trial (Merrill), 433
mechanism of effect of abdominal compression in (Constant and Lippschutz), 704
glycogen-storage disease of (Ruttenberg et al.), 469
in kwashiorkor (Swanepoel et al.), 1
human, normal, relation of age to duration of contraction, ejection, and relaxation of (Harrison et al.), 189
physical principles of artificial stimulation of. Stimulation of canine heart in situ (Schneider), 628
size, radiologic, and orthogonal electrocardiograms, correlations between, in patients with left ventricular overload (Yano and Pipberger), 44
sound, second, paradoxical splitting of: informative clinical notation (Dickerson and Nelson), 410
your, has nine lives, 719 (B. Rev.)
Hearts, congenitally malformed, whole-mount, paraffin imbedding as method for preservation of (Rosenberg and Marcontell), 379
with both great vessels originating from right ventricle, atrioventricular conduction system in (Titus et al.), 588
Heat, "dry," effects of, on circulation of man. Coronary hemodynamics (Sancetta et al.), 593
Hemodynamic, clinical, electrocardiographic, and vectorcardiographic observations in progressive muscular dystrophy of 34 years' duration (Duke and Crosby), 251
consequences of experimental ventricular preexcitation (Rogel et al.), 516
effect of Valsalva maneuver in muscular subaortic stenosis (Marcus et al.), 324
Hemodynamics and myocardial metabolism of normal human subjects, effects of norepinephrine on (Ribeilima et al.), 672
cardiopulmonary, effect of acute pulmonary embolus upon (Hyman, et al.), 313
circulatory, before and after portocaval shunt operation in bilharzial hepatic fibrosis (Foda et al.), 295
Hemorrhage, subendocardial, in hypotension treated with norepinephrine (Gauer and Henry), 713 (Annot.)
Heparin therapy, initial, as supplement to peroral anticoagulants in acute myocardial infarction, 143 (B. Rev.)
Hepatic fibrosis, bilharzial, circulatory hemodynamics before and after portocaval shunt operation in (Foda et al.), 295
"Hepatojugular reflux," one-minute abdominal compression test or, useful bedside test (Constant and Lippschutz), 701
Hereditary aspects of coronary heart disease (Epstein), 445
Herz des Menschen, 142 (B. Rev.)
Herzfehler, kongenitaler, Differentialdiagnos, 577 (B. Rev.)
Herzinfarkt, Grundlagen für prophylaktische und metaphylaktische Massnahmen beim, 718 (B. Rev.)
Herzschall, Korrelationen zwischen Hämodynamik und, 142 (B. Rev.)
Horse, race, studies on electrocardiogram of, 143 (B. Rev.)
Human subjects, normal, effects of norepinephrine on hemodynamics and myocardial metabolism of (Ribeilima et al.), 672
Hydralazine in hypertension (Freis), 133
Hypertension, arterial, and ischaemic heart disease. Comparison in epidemiological studies, 143 (B. Rev.)
essential, on integration of factors in (Mendlowitz et al.), 397
pathogenesis of, 719 (B. Rev.)
hydralazine in (Freis), 133
pulmonary, after Blalock-Taussig anastomosis (Hancock et al.), 817
Hypertensive subjects, pharmacodynamic effects of alpha-methyl dopa in (Onesti et al.), 32
Hypertrophy, ventricular, right, experimental, activation of free wall of right ventricle in, with and without right bundle branch block (Kyriacopoulos et al.), 81
Hypocholesterolemic agents, thyroxine analogues as (Jepson), 422 (Annot.)
Hypomagnesemia, prolonged, effects of, on cardiovascular system in young dogs (Wener et al.), 221
Hypotension, subendocardial hemorrhage in, treated with norepinephrine (Gauer and Henry), 713 (Annot.)
Hypothalamically induced changes in cardiovascular reactions (I) (Gellhorn), 107

I

Idiopathic cardiomegaly, natural history of (Muehsam et al.), 173
Imbedding, paraffin, whole-mount, as method for preservation of congenitally malformed hearts (Rosenberg and Marcontell), 379
Infancy and childhood, chronic ectopic tachycardia in (Morgan and Nadas), 617
treatment of paroxysmal supraventricular tachycardia in (Young), 565
Infant, premature, electrocardiogram of (Fonseca Costa et al.), 4

Infants and young children, improved technique of external cardiac compression in (Thaler and Stobie), 844 (Annot.)
Infarction, myocardial, acute, autopsy-confirmed, serum transaminase (S-GOT) and electrocardiogram in (Meyers and Evans), 15
clinical features relevant to possible resuscitation in death after (Mower, et al.), 437
initial heparin therapy as supplement to peroral anticoagulants in, 143 (B. Rev.)
re-evaluation of therapy of (Lindsay and Spiekerman), 559
Infectious mononucleosis, pericarditis due to (Burch, et al.), 421 (Annot.)
Inhibitors, carbonic-anhydrase (Table IV) (DeGraff and Lyon), 842
Injury, myocardial, T-wave inversion with elevated RS-T segment simulating (Wiener et al.), 684
Innerer Krankheiten, klinische Röntgendiagnostik. I. Thorax, 577 (B. Rev.)
Interracial study; electrocardiogram in first two days of life (Sutin and Schrire), 749
Interventricular septal aneurysm associated with maternal death (DePass and Douglas) 689
Intracardiac shunts, detection of, with platinum electrode, using simplified percutaneous approach (Vogel et al.), 610
Inversion, T-wave, with elevated RS-T segment simulating myocardial injury (Wiener et al.), 684
Ionic transfer in cardiac muscle. Explanation of cardiac electrical activity (Reynolds), 693
Ischaemic heart disease, arterial hypertension and. Comparison in epidemiological studies, 143 (B. Rev.)
Ischemia, peripheral, Rheomacrodex in (Powley), 424 (Annot.)
Ischemic heart disease, serum free fatty acid and presscr responses to norepinephrine in healthy subjects and in those with (Corcoran), 489
Isotope clearance and myocardial blood flow (Love), 579
Isovolumetric relaxation period (IVRP), on duration of, in dog and man (Arevalo and Sakamoto), 651

K

Kwashiorkor, heart in (Swanepoel et al.), 1

L

Lead accuracy, criteria of (Fischmann and Elliott), 796
system, Frank, study employing; vectorcardiographic and electrocardiographic findings in myotonia atrophica (Fearrington et al.), 599
testing method, experimental (Fischmann and Elliott), 794
Leads, electrocardiographic, what, to take after exercise (Blackburn and Katigbak), 184
sagittal (I); experimental comparison of "parallel grid leads" with simple bipolar, and SVEC-III, Frank, and McFee-Parungao systems (Fischmann and Elliott), 792
Letters to editor, 428, 575, 849
Lipoprotein, beta, changes in levels of serum cholesterol and, according to age, sex, and existence of coronary heart disease (Martins de Oliveira), 177
Limb, lower, regulation of volume in postarteriolar vessels of (Ludbrook and Loughlin), 493
Liver, cirrhosis of, circulatory effects of synthetic vasopressin in (Segel), 846 (Annot.)
Lung, left, anomalous venous drainage of, into inferior vena cava (D'Cruz and Arcilla), 539
Lymph, alternative pathways for return of (Paldino and Hyman), 280 (Annot.)

M

Malformations, congenital, associated with thalidomide and their management (Martin), 284 (Annot.)
Man, advantages of research on (Burch and DePasquale), 287
on duration of isovolumetric relaxation period (IVRP) in dog and (Arevalo and Sakamoto), 651
Mathematics and clinician (Fischmann and Elliott), 793
McFee-Parungao, experimental comparison of "parallel grid leads" with simple bipolar, and SVEC-III, Frank, and, systems. I. Sagittal leads (Fischmann and Elliott), 792
Measles myocarditis (Finkel), 679
Measures, subjective and objective, correlation between, of correspondence between different systems of vectorcardiography (Burger et al.), 512
Medical electronics in cardiovascular disease, 144 (B. Rev.)
schools, our, on teaching pharmacology and therapeutics in (Darby), 145
witness (Freeman), 571 (Annot.)
Menschen, Herz des, 142 (B. Rev.)
Metabolic responses, anaerobic, to acute maximal exercise in male athletes (Bruce et al.), 643
Metabolism, myocardial, hemodynamics and, of normal human subjects, effects of norepinephrine on (Ribeilima et al.), 672
Metaphylaktische Massnahmen, prophylaktische und, Grundlagen für, beim Herzinfarkt, 718 (B. Rev.)
Mitral regurgitation, late systolic murmur of (Segal and Likoff), 757
stenosis, open-heart surgery for. Technique of operation by left thoracic approach, 718 (B. Rev.)
Mobitz Type-II block, associated with Morgagni-Adams-Stokes snydrome, unusual forms of second-degree atrioventricular block, including (Donoso et al.), 150
Mononucleosis, infectious, pericarditis due to (Burch et al.), 421 (Annot.)
Morgagni-Adams-Stokes syndrome, unusual forms of second-degree atrioventricular block, including Mobitz Type-II block, associated with (Donoso et al.), 150
Mortality, age trend of, from coronary artery disease in women and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481
Mount Sinai Hospital, clinico-pathological conferences of, 432 (B. Rev.)
Murmur, systolic, late, of mitral regurgitation (Segal and Likoff), 757
Muscle, cardiac, ionic transfer in. Explanation of cardiac electrical activity (Reynolds), 693

Great vessels, both, originating from right ventricle, atrioventricular conduction system in hearts with (Titus et al.), 588
Grid lead, parallel, theory (Fischmann and Elliott), 800
leads, parallel (Fischmann and Elliott), 796
Guanethidine dosage and reversed reciprocating paroxysmal tachycardia, relationship of (Harris et al.), 814

H

Hämodynamik und Herzschall, Korrelationen zwischen, 142 (B. Rev.)
Heart, calcification of, 576 (B. Rev.)
disease, congenital, atlas of, 142 (B. Rev.)
coronary, changes in levels of serum cholesterol and beta lipoprotein according to age, sex, and existence of (Martins de Oliveira), 177
hereditary aspects of (Epstein), 445
effects of age and, on QRS axis during seventh through tenth decades (Gorman et al.), 39
ischaemic, arterial hypertension and. Comparison in epidemiological studies, 143 (B. Rev.)
ischemic, serum free fatty acid and pressor responses to norepinephrine in healthy subjects and in those with (Corcoran), 489
relationship of left atrial pressure and volume in patients with (Sauter et al.), 635
dog, isolated, selective application to epicardium or endocardium of (II); electrocardiographic effects of potassium (Chait et al.), 364
failure, intractable—management with 5 to 7 days of fasting. Preliminary trial (Merrill), 433
mechanism of effect of abdominal compression in (Constant and Lippschutz), 704
glycogen-storage disease of (Ruttenberg et al.), 469
in kwashiorkor (Swanepoel et al.), 1
human, normal, relation of age to duration of contraction, ejection, and relaxation of (Harrison et al.), 189
physical principles of artificial stimulation of. Stimulation of canine heart in situ (Schneider), 628
size, radiologic, and orthogonal electrocardiograms, correlations between, in patients with left ventricular overload (Yano and Pipberger), 44
sound, second, paradoxical splitting of: informative clinical notation (Dickerson and Nelson), 410
your, has nine lives, 719 (B. Rev.)
Hearts, congenitally malformed, whole-mount, paraffin imbedding as method for preservation of (Rosenberg and Marcontell), 379
with both great vessels originating from right ventricle, atrioventricular conduction system in (Titus et al.), 588
Heat, "dry," effects of, on circulation of man. Coronary hemodynamics (Sancetta et al.), 593
Hemodynamic, clinical, electrocardiographic, and vectorcardiographic observations in progressive muscular dystrophy of 34 years' duration (Duke and Crosby), 251
consequences of experimental ventricular preexcitation (Rogel et al.), 516
effect of Valsalva maneuver in muscular subaortic stenosis (Marcus et al.), 324
Hemodynamics and myocardial metabolism of normal human subjects, effects of norepinephrine on (Ribeilima et al.), 672
cardiopulmonary, effect of acute pulmonary embolus upon (Hyman, et al.), 313
circulatory, before and after portocaval shunt operation in bilharzial hepatic fibrosis (Foda et al.), 295
Hemorrhage, subendocardial, in hypotension treated with norepinephrine (Gauer and Henry), 713 (Annot.)
Heparin therapy, initial, as supplement to peroral anticoagulants in acute myocardial infarction, 143 (B. Rev.)
Hepatic fibrosis, bilharzial, circulatory hemodynamics before and after portocaval shunt operation in (Foda et al.), 295
"Hepatojugular reflux," one-minute abdominal compression test or, useful bedside test (Constant and Lippschutz), 701
Hereditary aspects of coronary heart disease (Epstein), 445
Herz des Menschen, 142 (B. Rev.)
Herzfehler, kongenitaler, Differentialdiagnos, 577 (B. Rev.)
Herzinfarkt, Grundlagen für prophylaktische und metaphylaktische Massnahmen beim, 718 (B. Rev.)
Herzschall, Korrelationen zwischen Hämodynamik und, 142 (B. Rev.)
Horse, race, studies on electrocardiogram of, 143 (B. Rev.)
Human subjects, normal, effects of norepinephrine on hemodynamics and myocardial metabolism of (Ribeilima et al.), 672
Hydralazine in hypertension (Freis), 133
Hypertension, arterial, and ischaemic heart disease. Comparison in epidemiological studies, 143 (B. Rev.)
essential, on integration of factors in (Mendlowitz et al.), 397
pathogenesis of, 719 (B. Rev.)
hydralazine in (Freis), 133
pulmonary, after Blalock-Taussig anastomosis (Hancock et al.), 817
Hypertensive subjects, pharmacodynamic effects of alpha-methyl dopa in (Onesti et al.), 32
Hypertrophy, ventricular, right, experimental, activation of free wall of right ventricle in, with and without right bundle branch block (Kyriacopoulos et al.), 81
Hypocholesterolemic agents, thyroxine analogues as (Jepson), 422 (Annot.)
Hypomagnesemia, prolonged, effects of, on cardiovascular system in young dogs (Wener et al.), 221
Hypotension, subendocardial hemorrhage in, treated with norepinephrine (Gauer and Henry), 713 (Annot.)
Hypothalamically induced changes in cardiovascular reactions (I) (Gellhorn), 107

I

Idiopathic cardiomegaly, natural history of (Muehsam et al.), 173
Imbedding, paraffin, whole-mount, as method for preservation of congenitally malformed hearts (Rosenberg and Marcontell), 379
Infancy and childhood, chronic ectopic tachycardia in (Morgan and Nadas), 617
treatment of paroxysmal supraventricular tachycardia in (Young), 565
Infant, premature, electrocardiogram of (Fonseca Costa et al.), 4

Infants and young children, improved technique of external cardiac compression in (Thaler and Stobie), 844 (Annot.)
Infarction, myocardial, acute, autopsy-confirmed, serum transaminase (S-GOT) and electrocardiogram in (Meyers and Evans), 15
clinical features relevant to possible resuscitation in death after (Mower, et al.), 437
initial heparin therapy as supplement to peroral anticoagulants in, 143 (B. Rev.)
re-evaluation of therapy of (Lindsay and Spiekerman), 559
Infectious mononucleosis, pericarditis due to (Burch, et al.), 421 (Annot.)
Inhibitors, carbonic-anhydrase (Table IV) (DeGraff and Lyon), 842
Injury, myocardial, T-wave inversion with elevated RS-T segment simulating (Wiener et al.), 684
Innerer Krankheiten, klinische Röntgendiagnostik. I. Thorax, 577 (B. Rev.)
Interracial study; electrocardiogram in first two days of life (Sutin and Schrire), 749
Interventricular septal aneurysm associated with maternal death (DePass and Douglas), 689
Intracardiac shunts, detection of, with platinum electrode, using simplified percutaneous approach (Vogel et al.), 610
Inversion, T-wave, with elevated RS-T segment simulating myocardial injury (Wiener et al.), 684
Ionic transfer in cardiac muscle. Explanation of cardiac electrical activity (Reynolds), 693
Ischaemic heart disease, arterial hypertension and. Comparison in epidemiological studies, 143 (B. Rev.)
Ischemia, peripheral, Rheomacrodex in (Powley), 424 (Annot.)
Ischemic heart disease, serum free fatty acid and pressor responses to norepinephrine in healthy subjects and in those with (Corcoran), 489
Isotope clearance and myocardial blood flow (Love), 579
Isovolumetric relaxation period (IVRP), on duration of, in dog and man (Arevalo and Sakamoto), 651

K

Kwashiorkor, heart in (Swanepoel et al.), 1

L

Lead accuracy, criteria of (Fischmann and Elliott), 796
system, Frank, study employing; vectorcardiographic and electrocardiographic findings in myotonia atrophica (Fearrington et al.), 599
testing method, experimental (Fischmann and Elliott), 794
Leads, electrocardiographic, what, to take after exercise (Blackburn and Katigbak), 184
sagittal (I); experimental comparison of "parallel grid leads" with simple bipolar, and SVEC-III, Frank, and McFee-Parungao systems (Fischmann and Elliott), 792
Letters to editor, 428, 575, 849
Lipoprotein, beta, changes in levels of serum cholesterol and, according to age, sex, and existence of coronary heart disease (Martins de Oliveira), 177
Limb, lower, regulation of volume in postarteriolar vessels of (Ludbrook and Loughlin), 493
Liver, cirrhosis of, circulatory effects of synthetic vasopressin in (Segel), 846 (Annot.)
Lung, left, anomalous venous drainage of, into inferior vena cava (D'Cruz and Arcilla), 539
Lymph, alternative pathways for return of (Paldino and Hyman), 280 (Annot.)

M

Malformations, congenital, associated with thalidomide and their management (Martin), 284 (Annot.)
Man, advantages of research on (Burch and DePasquale), 287
on duration of isovolumetric relaxation period (IVRP) in dog and (Arevalo and Sakamoto), 651
Mathematics and clinician (Fischmann and Elliott), 793
McFee-Parungao, experimental comparison of "parallel grid leads" with simple bipolar, and SVEC-III, Frank, and, systems. I. Sagittal leads (Fischmann and Elliott), 792
Measles myocarditis (Finkel), 679
Measures, subjective and objective, correlation between, of correspondence between different systems of vectorcardiography (Burger et al.), 512
Medical electronics in cardiovascular disease, 144 (B. Rev.)
schools, our, on teaching pharmacology and therapeutics in (Darby), 145
witness (Freeman), 571 (Annot.)
Menschen, Herz des, 142 (B. Rev.)
Metabolic responses, anaerobic, to acute maximal exercise in male athletes (Bruce et al.), 643
Metabolism, myocardial, hemodynamics and, of normal human subjects, effects of norepinephrine on (Ribeilima et al.), 672
Metaphylaktische Massnahmen, prophylaktische und, Grundlagen für, beim Herzinfarkt, 718 (B. Rev.)
Mitral regurgitation, late systolic murmur of (Segal and Likoff), 757
stenosis, open-heart surgery for. Technique of operation by left thoracic approach, 718 (B. Rev.)
Mobitz Type-II block, associated with Morgagni-Adams-Stokes snydrome, unusual forms of second-degree atrioventricular block, including (Donoso et al.), 150
Mononucleosis, infectious, pericarditis due to (Burch et al.), 421 (Annot.)
Morgagni-Adams-Stokes syndrome, unusual forms of second-degree atrioventricular block, including Mobitz Type-II block, associated with (Donoso et al.), 150
Mortality, age trend of, from coronary artery disease in women and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481
Mount Sinai Hospital, clinico-pathological conferences of, 432 (B. Rev.)
Murmur, systolic, late, of mitral regurgitation (Segal and Likoff), 757
Muscle, cardiac, ionic transfer in. Explanation of cardiac electrical activity (Reynolds), 693

Muscular dystrophy, progressive, of 34 years' duration, clinical, hemodynamic, electrocardiographic, and vectorcardiographic observations in (Duke and Crosby), 251
subaortic stenosis, hemodynamic effect of Valsalva maneuver in (Marcus et al.), 324
Myocardial blood flow, isotope clearance and (Love), 579
infarction, acute, autopsy-confirmed, serum transaminase (S-GOT) and electrocardiogram in (Meyers and Evans), 15
clinical features relevant to possible resuscitation in death after (Mower et al.), 437
initial heparin therapy as supplement to peroral anticoagulants in, 143 (B. Rev.)
re-evaluation of therapy of (Lindsay and Spiekerman), 559
injury, T-wave inversion with elevated RS-T segment simulating (Wiener et al.), 684
metabolism, hemodynamics and, of normal human subjects, effects of norepinephrine on (Ribeilima et al.), 672
Myocarditis, measles (Finkel), 679
Myocardium, ventricular, effective refractory period and full recovery time of, calculated from clinical tracings (II); observations in patients with implanted pacemaker (Dressler and Jonas), 724
Myotonia atrophica, vectorcardiographic and electrocardiographic findings in. Study employing Frank lead system (Fearrington et al.), 599

N

Nephritis, phenacetin (Reynolds), 845 (Annot.)
Nervous system, autonomic, central, significance of state of, for quantitative and qualitative aspects of some cardiovascular reactions (Gellhorn), 106
Neurocirculatory asthenia, circulation times in patients with (Juchems), 583
Nitrous-oxide method, coronary flow measured by (Rowe, et al.), 457
Nodal (reciprocating), atrioventricular, rhythm (Burchell), 391
Node, sinus, mechanism of action of quinidine on, studied by direct perfusion through its artery (James and Nadeau), 804
Norepinephrine, effects of, on hemodynamics and myocardial metabolism of normal human subjects (Ribeilima et al.), 672
pressor responses to, serum free fatty acid and, in healthy subjects and in those with ischemic heart disease (Corcoran), 489
subendocardial hemorrhage in hypotension treated with (Gauer and Henry), 713 (Annot.)

O

Occlusion of coronary, peripheral, and cerebral arteries: morbidity, 431 (B. Rev.)
Open-heart surgery for mitral stenosis. Technique of operation by left thoracic approach, 718 (B. Rev.)
Orthogonal electrocardiograms, correlation between radiologic heart size and, in patients with left ventricular overload (Yano and Pipberger), 44
Orthogonal—Cont'd
nominally, vectorcardiographic systems, six, quantitative comparison of (Beswick and Jordan), 657
vectorcardiography, simple chest electrode for (Beswick and Jordan), 232
Overload, ventricular, left, correlations between radiologic heart size and orthogonal electrocardiograms in patients with (Yano and Pipberger), 44
Oxygen, blood, saturation, optimum criteria for diagnosis of patent ductus arteriosus from measurements of (Grayzel and Jameson), 23

P

P waves, simple technique for identifying, in complex arrhythmias (Vogel et al.), 158
Pacemaker, cardiac, implantable, allowing rate control (Glass et al.), 137 (Annot.)
implanted, observations in patients with. II. Effective refractory period and full recovery time of ventricular myocardium calculated from clinical tracings (Dressler and Jonas), 724
Paraffin imbedding, whole-mount, as method for preservation of congenitally malformed hearts (Rosenberg and Marcontell), 379
"Parallel grid leads," experimental comparison of, with simple bipolar, and SVEC-III, Frank, and McFee-Parungao systems. I. Sagittal leads (Fischmann and Elliott), 792
Parasympathetic reactivity, asphyxia and (II) (Gellhorn), 76
Parasystole, ventricular, double (Chung et al.), 162
Paroxysmal tachycardia, reversed reciprocating, controlled by guanethidine in case of Wolff-Parkinson-White syndrome (Harris et al.), 812
Patent ductus arteriosus, optimum criteria for diagnosis of, from measurements of blood oxygen saturation (Grayzel and Jameson), 23
Percutaneous approach, simplified, detection of intracardiac shunts with platinum electrode, using (Vogel et al.), 610
Perfusion, direct, through its artery, mechanism of action of quinidine on sinus node, studied by (James and Nadeau), 804
Pericarditis, benign, acute (Bradley), 121
constrictive, systemic amyloidosis presenting as. Case studied with cardiac catheterization (Von Hoyningen-Huene), 290
due to infectious mononucleosis (Burch et al.), 421 (Annot.)
Peripheral, coronary, and cerebral arteries, occlusion of: morbidity, 431 (B. Rev.)
ischemia, Rheomacrodex in (Powley), 424 (Annot.)
Permeability, transport forces and (Reynolds), 695
Pharmacodynamic effects of alpha-methyl dopa in hypertensive subjects (Onesti et al.), 32
Pharmacology and therapeutics in our medical schools (Darby), 145
Phenacetin nephritis (Reynolds), 845 (Annot.)
Phonocardiography, value of, in assessment of surgical closure of ventricular septal defect (Beck et al.), 742

Phosphatase, acid, serum, increased, after arterial embolism (Schoenfeld), 92
Pigeon atherosclerosis (Prichard et al.), 715 (Annot.)
Platinum electrode, detection of intracardiac shunts with, using simplified percutaneous approach (Vogel, et al.), 610
Population study of arterial pressure (McKeown), 569 (Annot.)
Portocaval shunt operation, circulatory hemodynamics before and after, in bilharzial hepatic fibrosis (Foda et al.), 295
Postasphyxial state, cardiovascular reactions in asphyxia and (Gellhorn), 73
Potassium, electrocardiographic effects of. I. Perfusion through coronary bed (Lanari et al.), 357
II. Selective application to epicardium or endocardium of isolated dog heart (Chait et al.), 364
Potential, resting, explanation of, on basis of concentration gradient (Reynolds), 696
Precordial electrocardiogram of normal adolescents, inverted T waves in (Blackman and Kuskin), 304
movements in relation to age (Coleman et al.), 53
Pre-excitation, ventricular, experimental, hemodynamic consequences of (Rogel et al.), 516
Preservation of congenitally malformed hearts, whole - mount, paraffin imbedding as method for (Rosenberg and Marcontell), 379
Pressor responses to norepinephrine, serum free fatty acid and, in healthy subjects and in those with ischemic heart disease (Corcoran), 489
Pressure, arterial, population study of (McKeown), 569 (Annot.)
atrial, left, relationship of, in patients with heart disease (Sauter et al.), 635
Prophylaktische und metaphylaktische Massnahmen, Grundlagen für, beim Herzinfarkt, 718 (B. Rev.)
Prophylaxis of rheumatic fever (Feinstein), 278
Pulmonary embolism and arteriosclerosis, experimental. Effect of vasospasm (Nityanand and Zaidi), 529
artery, right,-left atrial communication (Bauersfeld et al.), 244
embolus, acute, effect of, upon cardiopulmonary hemodynamics (Hyman et al.), 313
hypertension after Blalock-Taussig anastomosis (Hancock et al.), 817
vasculature, pathology of, 720 (B. Rev.)
Pulse wave velocity, on elimination of, in stroke volume determination from ultralow-frequency displacement ballistocardiogram (Van Brummelen et al.), 374

Q

QRS axis, effects of age and heart disease on, during seventh through tenth decades (Gorman et al.), 39
Quinidine, mechanism of action of, on sinus node studied by direct perfusion through its artery (James and Nadeau), 804

R

Race horse, studies on electrocardiogram of, 143 (B. Rev.)
Radiologic heart size and orthogonal electrocardiograms, correlations between, in patients with left ventricular overload (Yano and Pipberger), 44
Rate control, implantable cardiac pacemaker allowing (Glass et al.), 137 (Annot.)
Reflex, conditional, electrocardiogram of bulbocapnine: conditioning of T wave (Perez-Cruet and Gantt), 61
Reflexes, baroreceptor, tuning of autonomic system through (II) (Gellhorn), 110
Regurgitation, mitral, late systolic murmur of (Segal and Likoff), 757
Rehabilitation, new ideas on, 720 (B. Rev.)
Relaxation, contraction, ejection, and, of normal human heart, relation of age to duration of (Harrison et al.), 189
isovolumetric, period (IVRP), on duration of, in dog and man (Arevalo and Sakamoto), 651
Renal, cardiovascular and, diseases, year book of, 286 (B. Rev.)
cortical calcification after snake bite (Oram et al.), 714 (Annot.)
failure, chronic, dialysis for (Merrill), 281 (Annot.)
Replotting, reliable extrapolation of indicator-dilution curves without (Gorten and Hughes), 383
Research, advantages of, on man (Burch and DePasquale), 287
Resuscitation, possible, clinical features relevant to, in death after acute myocardial infarction (Mower et al.), 437
Reversed reciprocating paroxysmal tachycardia controlled by guanethidine in a case of Wolff-Parkinson-White syndrome (Harris et al.), 812
Rheomacrodex in peripheral ischemia (Powley), 424 (Annot.)
Rheumatic fever, prophylaxis of (Feinstein), 278
Rhythm, atrioventricular nodal (reciprocating) (Burchell), 391
Röntgenologischer Messmethoden, Radiometrie, Theorie, und Praxis, 576 (B. Rev.)
RS-T segment, elevated, T-wave inversion with, simulating myocardial injury (Wiener et al.), 684

S

Sagittal leads (I); experimental comparison of "parallel grid leads" with simple bipolar, and SVEC-III, Frank, and McFee-Parungao systems (Fischmann and Elliott), 792
Salts, citrate, use of, for testing digitalis-induced cardiac arrhythmias in experimental animal (Corday and Skelton), 237
Schools, medical, our, on teaching pharmacology and therapeutics in (Darby), 145
Semilunar valve, quantitative evaluation of functional stenosis of (Bayley), 508
Septal aneurysm, interventricular, associated with maternal death (DePass and Douglas), 689
defect, ventricular, value of phonocardiography in assessment of surgical closure of (Beck et al.), 742
Serum acid phosphatase, increased, after arterial embolism (Schoenfeld), 92
cholesterol and beta lipoprotein, changes in levels of, according to age, sex, and existence

Serum cholesterol—Cont'd
of coronary heart disease (Martins de Oliveira), 177

electrolytes, effects of abnormal concentrations of, on left ventricular function in intact animal (Goodyer et al.), 779

left ventricular functions before and after changes in (Table II A) (Goodyer et al.), 782

transaminase (S-GOT) and electrocardiogram in autopsy-confirmed acute myocardial infarction (Meyers and Evans), 15

Sex difference, effect of, in digoxin toxicity (Rodensky and Wasserman), 845 (Annot.)

Shock, endotoxin, effect of vasoactive antagonists in (Kalas and Jacobson), 764

Shunt operation, portocaval, circulatory hemodynamics before and after, in bilharzial hepatic fibrosis (Foda et al.), 295

Shunts, intracardiac detection of, with platinum electrode, using simplified percutaneous approach (Vogel et al.), 610

Sinus node, mechanism of action of qunidine on, studied by direct perfusion through its artery (James and Nadeau), 804

Snake bite, renal cortical calcification after (Oram et al.), 714 (Annot.)

Sound, heart, second, paradoxical splitting of: informative clinical notation (Dickerson and Nelson), 410

Splitting, abnormal, of second heart sound (Dickerson and Nelson), 410

normal physiologic, of second heart sound (Dickerson and Nelson), 410

paradoxical, of second heart sound: informative clinical notation (Dickerson and Nelson), 410

Statistics, medical, elementary, 286 (B. Rev.)

Stenosis, functional, of semilunar valve, quantitative evaluation of (Bayley), 508

muscular, subaortic, hemodynamic effect of Valsalva maneuver in (Marcus et al.), 324

relative, of cardiac valves (Rowe), 334

Stimulation, artificial, of heart, physical principles of. Stimulation of canine heart in situ (Schneider), 628

vagal, effect of (Moe et al.), 346

Stroke volume determination from ultralow-frequency displacement ballistocardiogram, on elimination of pulse wave velocity in (Van Brummelen et al.), 374

Subendocardial hemorrhage in hypotension treated with norepinephrine (Gauer and Henry), 713 (Annot.)

Surgery, open-heart, for mitral stenosis. Technique of operation by left thoracic approach, 718 (B. Rev.)

Surgical closure of ventricular septal defect, value of phonocardiography in assessment of (Beck et al.), 742

SVEC-III, Frank, and McFee-Parungao systems, experimental comparison of "parallel grid leads" with simple bipolar and. I. Sagittal leads (Fischmann and Elliott), 792

Sympathetic reactivity, asphyxia and (I) (Gellhorn), 73

System, central autonomic nervous, significance of state of, for quantitative and qualitative aspects of some cardiovascular reactions (Gellhorn), 106

Systolic murmur, late, of mitral regurgitation (Segal and Likoff), 757

T

T wave, conditioning of; conditional reflex electrocardiogram of bulbocapnine (Perez-Cruet and Gantt), 61

waves, inverted, in precordial electrocardiogram of normal adolescents (Blackman and Kuskin), 304

Tachycardia, ectopic, chronic, in infancy and childhood (Morgan and Nadas), 617

paroxysmal, reversed reciprocating, controlled by guanethidine in case of Wolff-Parkinson-White syndrome (Harris et al.), 812

relationship of guanethidine dosage and (Harris et al.), 814

supraventricular, paroxysmal, treatment of, in infancy (Young), 565

Tape recorder, magnetic, FM, four-speed, recording high-frequency components with conventional direct-writing electrocardiograph and (Langner), 712 (Annot.)

Test, one-minute abdominal compression, or "hepatojugular reflux," useful bedside test (Constant and Lippschutz), 701

Thalidomide, congenital malformations associated with, and their management (Martin), 284 (Annot.)

Therapeutics, on teaching pharmacology and, in our medical schools (Darby), 145

Therapy, diuretic. Part I (DeGraff and Lyon), 840

of acute myocardial infarction, re-evaluation of (Lindsay and Spiekerman), 559

Thorax (I); klinische Röntgendiagnostik innerer Krankheiten, 577 (B. Rev.)

Thrombolytic therapy in acute myocardial infarction (Lindsay and Spiekerman), 562

present status of (Johnson), 418

Thrombosis, coronary, incubation period of, 431 (B. Rev.)

Thyroxine analogues as hypocholesterolemic agents (Jepson), 422 (Annot.)

Toxicity, digoxin, effect of sex difference in (Rodensky and Wasserman), 845 (Annot.)

Tracings, clinical, effective refractory period and full recovery time of ventricular myocardium calculated from (II); observations in patients with implanted pacemaker (Dressler and Jonas), 724

Transmembrane potential (Reynolds), 693

Transport forces and permeability (Reynolds), 695

T-wave inversion with elevated RS-T segment simulating myocardial injury (Wiener et al.), 684

V

Valsalva maneuver, hemodynamic effect of, in muscular subaortic stenosis (Marcus et al.), 324

Valve, semilunar, quantitative evaluation of functional stenosis of (Bayley), 508

Valves, cardiac, relative stenosis of (Rowe), 334

Varicose veins, primary, biochemical differences in composition of (Švejcar et al.), 572 (Annot.)

Vascular volume, pulmonary, in man. Measurement from atrial dilution curves (Levinson et al.), 734

Vasculature, pulmonary, pathology of, 720 (B. Rev.)

Vasoactive antagonists, effect of, in endotoxin shock (Kalas and Jacobson), 764

Vasopressin, synthetic, circulatory effects of, in cirrhosis of liver (Segel), 846 (Annot.)

Vasospasm, effect of. Experimental pulmonary embolism and arteriosclerosis (Nityanand and Zaidi), 529

Vectorcardiographic and electrocardiographic findings in myotonia atrophica. Study employing Frank lead system (Fearrington et al.), 599

clinical, hemodynamic, electrocardiographic and, observations in progressive muscular dystrophy of 34 years' duration (Duke and Crosby), 251

findings in study of normal subjects (Table II) (Fearrington et al.), 605

systems, nominally orthogonal, six, quantitative comparison of (Beswick and Jordan), 657

Vectorcardiography, correlation between subjective and objective measures of correspondence between different systems of (Burger et al.), 512

orthogonal, simple chest electrode for (Beswick and Jordan), 232

Veins, varicose, primary, biochemical differences in composition of (Švejcar et al.), 572 (Annot.)

Vektorkardiographie, raumlichen, Probleme der, 578 (B. Rev.)

Velocity, pulse wave, on elimination of, in stroke volume determination from ultralow-frequency displacement ballistocardiogram (Van Brummelen et al.), 374

Vena cava, inferior, anomalous venous drainage of left lung into (D'Cruz and Arcilla), 539

Venous drainage, anomalous, of left lung into inferior vena cava (D'Cruz and Arcilla), 539

hum, cervical (Fowler and Gause), 135 (Annot.)

Ventricle, right, activation of free wall of, in experimental right ventricular hypertrophy with and without right bundle branch block (Kyriacopoulos et al.), 81

atrioventricular conduction system in hearts with both great vessels originating from (Titus et al.), 588

Ventricle, right—Cont'd

role of, in abnormal compression test response (Constant and Lippschutz), 705

Ventricular function, left, effects of abnormal concentrations of serum electrolytes on, in intact animal (Goodyer et al.), 779

hypertrophy, right, experimental, activation of free wall of right ventricle in, with and without right bundle branch block (Kyriacopoulos et al.), 81

myocardium, effective refractory period and full recovery time of, calculated from clinical tracings (II); observations in patients with implanted pacemaker (Dressler and Jonas), 724

overload, left, correlations between radiologic heart size and orthogonal electrocardiograms in patients with (Yano and Pipberger), 44

parasystole, double (Chung et al.), 162

pre-excitation, experimental, hemodynamic consequences of (Rogel et al.), 516

septal defect, value of phonocardiography in assessment of surgical closure of (Beck et al.), 742

Vessels, great, both, originating from right ventricle, atrioventricular conduction system in hearts with (Titus et al.), 588

postarteriolar, of lower limb, regulation of volume in (Ludbrook and Loughlin), 493

Viral endocarditis (Burch and DePasquale), 721

Volume, regulation of, in postarteriolar vessels of lower limb (Ludbrook and Loughlin), 493

relationship of left atrial pressure and, in patients with heart disease (Sauter et al.), 635

stroke, determinations from ultralow-frequency displacement ballistocardiogram, on elimination of pulse wave velocity in (Van Brummelen et al.), 374

vascular, pulmonary, in man. Measurement from atrial dilution curves (Levinson et al.), 734

W

Wall, free, of right ventricle, activation of, in experimental right ventricular hypertrophy with and without right bundle branch block (Kyriacopoulos et al.), 81

Wave, pulse, velocity, on elimination of, in stroke volume determination from ultralow-frequency displacement ballistocardiogram (Van Brummelen et al.), 374

T, conditioning of; conditional reflex electrocardiogram of bulbocapnine (Perez-Cruet and Gantt), 61

Waves, T, inverted, in precordial electrocardiogram of normal adolescents (Blackman and Kuskin), 304

Whole-mount, paraffin imbedding as method for preservation of congenitally malformed hearts (Rosenberg and Marcontell), 379

Witness, medical (Freeman), 571 (Annot.)

Wolff-Parkinson-White syndrome, reversed reciprocating paroxysmal tachycardia controlled by guanethidine in case of (Harris et al.), 812

Women, age trend of mortality from coronary artery disease in, and observations on reproductive patterns of those affected (Winkelstein and Rekate), 481

X

Xanthines (Table III) (DeGraff and Lyon), 842